

Q2 User Manual

Thanks for purchasing our car dashcam

Please read this manual carefully and be sure you fully understand before using.

Please operate it according the manual.

1. Construction







1	Display	2	Rear Cable camera interface	3	Reset Hole
4	Car Slot	5	Power Interface	6	Power Indicator
7	Power Button	8	Lens		

2. Button


Power(PWR): On/Off; Turn on/off display; Reset

3. Touch Screen

- 1) Touch any point of the display.
- 2) Touch  to enter the Settings menu.
- 3) Press  to reset the sub-menu of video
- 4) Press the button  to system reset
- 5) Press the button  to star, stop or pause of shooting.

The sign, will flash.Press any point of the display to turn on the display

4. Switch

Press  to switch between front lens, rear lens and picture-in-picture.

Micro SD Card

Insert or take out

The files will be saved in Micro sd card.

Turn on

- 1.Press the button,Power
- 2.Connect it to Power source.



Turn Off

1. Press the button, Power for 3s

2. Disconnect it to Power source.


Function

System

1. Press  to enter the menu
2. Press the  in the menu
3. Press the Ok for reset the following items:
 - 1). Beep of button: on/off
 - 2). Vol: off/high/mid/low
 - 3). Time: dd/mm/yy, hh/mm/ss
 - 4). Language: English/简体中文/繁体中文
 - 5). Frequency: 50Hz/60Hz
 - 6). Display off: Off/1min/3min, factory default:Off
 - 7). G-sensor Sensitivity:Off/high/mid/low, factory default:Off
 - 8). System : Y/N ;Note: Y means factory default
 - 9). WIFI: On/Off
 - 10). Format: Y/N.
 - 11). Software Version: AT-2018XXXX
 - 12). WIFI Code: ANTK_XXXX,Note: Different model, different code


Video

1. Shooting

1).Press the sign, 

2).The sign,  will flash during shooting.

2.Pause

Press the sign, 


2. Loop Time

Reset in Menu

Loop Time:1min/3min/5min

Factory default:3min

Image

1)Press the sign, 

Replay

1)Press the sign, 

2) Choose, “F” is for front lens,” R” is for rear lens.

3)Press the file to replay.

4)Press it again to pause.

WiFi

1. APP Download

1) Please track “Anzone” at Google Market

2) Please track the “Anzone” at the Apple Store

2. WIFI

1.Turn on WiFi on camera,the sign,  will display on

Upright of display

2.It will show SSID: ANTK-XXXX and PWA2:12345678

3.Please Choose this SSID in the smartphone

4.Insert the PWA in smartphone

5.Please open the Anzone

Specifications

Display	2.0 Inches 320*240
Pixel	20M CMOS
Lens	140° wide Angle lens
Video Resolution	1080P
Video Format	MOV
Loop Time	1/3/5 Minutes
Memory	Support 32G TF
Power	USB 5V. 2000mA
Frequency	50HZ/60HZ
Battery	Super Capacitor
Microphone/Horn	Support
Language	简体中文/繁体中文/En